



ALL TOLERANCES AS PER AS1866

FLATNESS 0.15 mm / 25 mm ANGLE  $\pm 2^\circ$   
STRAIGHTNESS 0.70 mm / metre TWIST  $3^\circ$  Max / Length

 SPECIAL TOLERANCE




ACTUAL SIZE  
VISIBLE FACE & PAINT PERIM

A = 0.30 RAD  
B = 0.50 RAD  
C = 1.00 RAD  
D = 1.25 RAD  
V =  $0.30 \times 90^\circ$   
I.D GROOVE

UNSPECIFIED METAL THICKNESS =  $1.40 \pm 0.15$

0.20 RAD ON ALL UNSPECIFIED EXTERNAL CORNERS

|     |                                   |  |               |                    |                           |                                 |                  |   |                      |          |
|-----|-----------------------------------|--|---------------|--------------------|---------------------------|---------------------------------|------------------|---|----------------------|----------|
|     |                                   | CUSTOMER<br>ALUMINIUM PARTNERS PTY LTD | AREA<br>137.5 | ANOD PERIM<br>150  | H.C<br>-                  | DRAWN<br>Alan                   | DATE<br>24/03/05 | <div>INEX</div> <div></div> <div>INEX<br/>INDEPENDENT<br/>EXTRUSIONS</div> | SKETCH No.<br>S10239 | REV<br>2 |
| 2   | CUSTOMER'S NAME CHANGED, 03/09/07 | APPLICATION<br>OUTER HINGE             | MASS<br>0.373 | TOTAL PERIM<br>150 | CCD<br>35                 | SCALE<br>4:1                    | CHECKED          |   | DIE No.<br>20135     |          |
| 1   | DIE No. ADDED, 08/07/05           | CUSTOMER PART No.<br>-                 | FACTOR<br>402 | PAINT PERIM<br>109 | ALLOY / TEMPER<br>6060 T5 | SURFACE FINISH<br>ARCHITECTURAL |                  |   |                      |          |
| REV | DESCRIPTION                       |  |               |                    |                           |                                 |                  |   |                      |          |

2 CUSTOMER'S NAME CHANGED, 03/09/07

1 DIE No. ADDED, 08/07/05